

```
/db_xref="LocusID: 285761"
                     126..1745
     CDS
                     /gene="DCBLD1"
                     /note="go_process: cell adhesion [goid 0007155] [evidence
                     IEA] "
                     /codon_start=1
                     /product="hypothetical protein MGC46341"
                     /protein_id="NP_775945.1"
                     /db_xref="GI:27735143"
                     /db_xref="GeneID:285761"
                     /db_xref="LocusID:285761"
                     /translation="MVPGARGGGALARAAGRGLLALLLAVSAPLRLQAEELGDGCGHL
                     VTYQDSGTMTSKNYPGTYPNHTVCEKTITVPKGKRLILRLGDLDIESQTCASDYLLFT
                     SSSDQYGPYCGSMTVPKELLLNTSEVTVRFESGSHISGRGFLLTYASSDHPDLITCLE
                    RASHYLKTEYSKFCPAGCRDVAGDISGNMVDGYRDTSLLCKAAIHAGIIADELGGQIS
                    VLORKGISRYEGILANGVLSRDGSLSDKRFLFTSNGCSRSLSFEPDGQIRASSSWQSV
                    NESGDOVHWSPGOARLODOGPSWASGDSSNNHKPREWLEIDLGEKKKITGIRTTGSTQ
                     SNFNFYVKSFVMNFKNNNSKWKTYKGIVNNEEKVFQGNSNFRDPVQNNFIPPIVARYV
                    RVVPQTWHQRIALKVELIGCQITQGNDSLVWRKTSQSTSVSTKKEDETITRPIPSEET
                     STGINITTVAIPLVLLVVLVFAGMGIFAAFRKKKKKGSPYGSAEAQKTDCWKQIKYPF
                    ARHQSAEFTISYDNEKEMTQKLDLITSDMAG"
     misc_feature
                    246..572
                    /gene="DCBLD1"
                    /note="CUB; Region: Domain first found in C1r, C1s, uEGF,
                    and bone morphogenetic protein. This domain is found
                    mostly among developmentally-regulated proteins.
                    Spermadhesins contain only this domain"
                    /db_xref="CDD:smart00042"
                    591..869
     misc_feature
                    /gene="DCBLD1"
                     /note="LCCL; Region: LCCL domain"
                    /db_xref="CDD:pfam03815"
                    912..1352
     misc_feature
                    /gene="DCBLD1"
                    /note="F5_F8_type_C; Region: F5/8 type C domain. This
                    domain is also known as the discoidin (DS) domain family.
                    The bacterial examples are not yet included in the SEED
                    alignment and are only found with low scores"
                    /db_xref="CDD:pfam00754"
BASE COUNT
               577 a
                        457 c
                                 512 g
                                          464 t
ORIGIN
       61 ggcagctgcg gctcgggatc cgtcgagggg aggccgagct tgccaagctg gcgcccagcg
     121 gggtcatggt gcccggcgcc cgcggcggcg gcgcactggc gcgggctgcc gggcggggcc
     181 teetggettt getgetegeg gteteegeee egeteegget geaggeggag gagetgggtg
     241 atggctgtgg acacctagtg acttatcagg atagtggcac aatgacatct aagaattatc
     301 ccgggaccta ccccaatcac actgtttgcg aaaagacaat tacagtacca aaggggaaaa
     361 gactgattct gaggttggga gatttggata tcgaatccca gacctgtgct tctgactatc
     421 ttctcttcac cagctcttca gatcaatatg gtccatactg tggaagtatg actgttccca
     481 aagaactett gttgaacaca agtgaagtaa eegteegett tgagagtgga teecacattt
     541 ctggccgggg ttttttgctg acctatgcga gcagcgacca tccagattta ataacatgtt
     601 tggaacgagc tagccattat ttgaagacag aatacagcaa attctgccca gctggttgta
     661 gagacgtagc aggagacatt tctgggaata tggtagatgg atatagagat acctctttat
     721 tgtgcaaagc tgccatccat gcaggaataa ttgctgatga actaggtggc cagatcagtg
     781 tgcttcagcg caaagggatc agtcgatatg aagggattct ggccaatggt gttctttcga
     841 gggatggttc cctgtcagac aagcgatttc tgtttacctc caatggttgc agcagatcct
     901 tgagttttga acctgacggg caaatcagag cttcttcctc atggcagtcg gtcaatgaga
     961 gtggagacca agttcactgg tctcctggcc aagcccgact tcaggaccaa ggcccatcat
    1021 gggcttcggg cgacagtagc aacaaccaca aaccacgaga gtggctggag atcgatttgg
    1081 gggagaaaaa gaaaataaca ggaattagga ccacaggatc tacacagtcg aacttcaact
```

11

- (

```
1141 tttatgttaa gagttttgtg atgaacttca aaaacaataa ttctaagtgg aagacctata
1201 aaggaattgt gaataatgaa gaaaaggtgt ttcagggtaa ctctaacttt cgggacccag
1261 tgcaaaacaa tttcatccct cccatcgtgg ccagatatgt gcgggttgtc ccccagacat
1321 ggcaccagag gatagcettg aaggtggage teattggttg ecagattaca caaggtaatg
1381 attcattggt gtggcgcaag acaagtcaaa gcaccagtgt ttcaactaag aaagaagatg
1441 agacaatcac aaggcccatc ccctcggaag aaacatccac aggaataaac attacaacgg
1501 tggctattcc attggtgctc cttgttgtcc tggtgtttgc tggaatgggg atctttgcag
1561 cctttagaaa gaagaagaag aaaggaagtc cgtatggatc agcagaggct cagaaaacag
1621 actgttggaa gcagattaaa tatccctttg ccagacatca gtcagctgag tttaccatca
1681 getatgataa tgagaaggag atgacacaaa agttagatet catcacaagt gatatggcag
1741 gttaactccg ttgactgcca aaatagcatc cccaacgtgc agccctccgc atctatcagc
1801 aggttgcccc ggatggatct cagagatgag gatcggaaca ccatgttctt tcccacccta
1861 acaacaacaa agggcagtaa attaaagtac tetttgtaag gtacagttac egattaatet
1921 agagataaaa tattttctta aaaatatatt tcattaaaca cctatgctgt ctctataaaa
1981 aaaaaaaaa aaaaaaaaaa aaaaaaaaaa
```

Disclaimer | Write to the Help Desk NCBI | NLM | NIH

Oct 2 2003 18:31:01

```
FASTA searches a protein or DNA sequence data bank
 version 3.3t05 March 30, 2000
Please cite:
 W.R. Pearson & D.J. Lipman PNAS (1988) 85:2444-2448
/tmp/fastaDAAE.aqrX: 1464 nt
 >LEX 71 Seq id no:1
 vs /tmp/fastaEAAF.agrX library
searching /tmp/fastaEAAF.aqrX library
   2010 residues in
                    1 sequences
FASTA (3.34 January 2000) function [optimized, +5/-4 matrix (5:-4)] ktup: 6
 join: 63, opt: 48, gap-pen: -16/ -4, width: 16
 Scan time:
           0.116
The best scores are:
                                                  opt
gi|27735142|ref|NM_173674.1| Homo sapiens disc (2010) [f] 7311
gi 27735142 ref NM_173674.1 Homo sapiens disc (2010) [r]
>>gi|27735142|ref|NM_173674.1| Homo sapiens discoidin, C
 initn: 7311 init1: 7311 opt: 7311
 99.932% identity in 1464 nt overlap (1-1464:282-1745)
                                                       30
LEX
                               ATGACATCTAAGAATTATCCCGGGACCTAC
                               gi|277 CACCTAGTGACTTATCAGGATAGTGGCACAATGACATCTAAGAATTATCCCGGGACCTAC
           260
                   270
                            280
                                    290
                                             300
                                                     310
                                                       90
                                      70
             40
                     50
                              60
LEX
      CCCAATCACACTGTTTGCGAAAAGACAATTACAGTACCAAAGGGGAAAAGACTGATTCTG
      gi|277 CCCAATCACACTGTTTGCGAAAAGACAATTACAGTACCAAAGGGGAAAAGACTGATTCTG
           320
                   330
                            340
            100
                    110
                             120
                                     130
                                             140
LEX
      gi | 277 AGGTTGGGAGATTTGGATATCGAATCCCAGACCTGTGCTTCTGACTATCTTCTCTTCACC
           380
                   390
                            400
                                    410
                                             420
                                                     430
                                     190
            160
                    170
                             180
                                             200
                                                      210
LEX
      AGCTCTTCAGATCAATATGGTCCATACTGTGGAAGTATGACTGTTCCCAAAGAACTCTTG
      gi | 277 AGCTCTTCAGATCAATATGGTCCATACTGTGGAAGTATGACTGTTCCCAAAGAACTCTTG
           440
                   450
                                             480
                                                     490
            220
                    230
                             240
                                     250
LEX
     TTGAACACAGTGAAGTAACCGTCCGCTTTGAGAGTGGATCCCACATTTCTGGCCGGGGT
      gi|277 TTGAACACAGTGAAGTAACCGTCCGCTTTGAGAGTGGATCCCACATTTCTGGCCGGGGT
           500
                   510
                            520
                                    530
                                            540
                                                     550
                    290
                            300
            280
                                     310
                                             320
                                                     330
     TTTTTGCTGACCTATGCGAGCAGCGACCATCCAGATTTAATAACATGTTTGGAACGAGCT
LEX
      gi | 277 TTTTTGCTGACCTATGCGAGCAGCGACCATCCAGATTTAATAACATGTTTGGAACGAGCT
                   570
           560
                            580
                                    590
                                            600
                                                     610
           340
                    350
                                     370
                                             380
                            360
                                                     390
```

LEX	AGCCATTATTTG					
	::::::::::					
gi 277	7 AGCCATTATTTG					
	620	630	640	650	660	670
	400	410	420	430	440	450
LEX	GGAGACATTTCT					
	:::::::::	: : : : : : : : : :	::::::::		:::::::::	::::::
gi 277	GGAGACATTTCT					
	680	690	700	710	720	730
	460	470	480	490	500	510
LEX	GCCATCCATGCAG	·			and the second second	
	::::::::::::::		:::::::::			::::::
gi 277	GCCATCCATGCAC					
	740	750	760	770	780	790
	520	530	540	550	560	570
LEX	AAAGGGATCAGTO		-			
	:::::::::::::		::::::::	::::::::	::::::::	::::::
gi 277	AAAGGGATCAGTC					
	800	810	820	830	840	850
	580	590	600	610	620	630
LEX	CTGTCAGACAAGO					
	::::::::::::::					
gi 277	CTGTCAGACAAGC				GATCCTTGAG	TTTTGAA
•	860	870	880	890	900	910
	640	650	660	670	680	690
LEX	CCTGACGGGCAAA					
	:::::::::::::					
gi 277	CCTGACGGGCAAA				ATGAGAGTGG	AGACCAA
	920	930	940	950	960	970
	700	710	720	730	740	750
LEX	GTTCACTGGTCTC					
	:::::::::::::::::::::::::::::::::::::::	:::::::::	::::::::	:::::::::	::::)::::::	::::::
gi 277	GTTCACTGGTCTC					TTCGGGC
	980	990	1000	1010	1020	1030
	760	770	780	790	800	810
LEX	GACAGTAGCAACA					
	:::::::::::::::::::::::::::::::::::::::	::::::::			::::::::::	::::::
gi 277	GACAGTAGCAACA					
	1040	1050	1060	1070	1080	1090
	820	830	840	850	860	870
LEX	AAAATAACAGGAA					
	:::::::::::::::::::::::::::::::::::::::	:::::::::	:::::::::	::::::::::::		::::::
gi 277	AAAATAACAGGAA					
	1100	1110	1120	1130	1140	1150
	880	890	900	910	920	930
LEX	AGTTTTGTGATGA					
	:::::::::::::::::::::::::::::::::::::::					
gi 277	AGTTTTGTGATGA	ACTTCAAAAA	CAATAATTCTA	AAGTGGAAGAC	CTATAAAGG	AATTGTG
	1160	1170	1180	1190	1200	1210
	940	950	960	970	980	990
	2.0	230	200	5,0	200	220

LEX	AATAATGAAGAA					_
: 1075						
g1 2//	AATAATGAAGAA 1220	1230	1240	TAACTTTCGG	1260	1270
	1220	1230	1240	1230	1200	1270
	1000	1010	1020	1030	1040	1050
LEX	TTCATCCCTCCCA	TCGTGGCCA	SATATGTGCG		CAGACATGGC	ACCAGAGG
•	:::::::::::::			::::::::	::::::::::	:::::::
gi 277	TTCATCCCTCCCA				CAGACATGGC	ACCAGAGG
	1280	1290	1300	1310	1320	1330
	1060	1070	1000	1000	1100	1110
LEX	ATAGCCTTGAAGG		1080 PTCCTTCCCA	1090 באיייאראראא	1100 ദേസ്മാനമാനന	1110
DEA	:::::::::::::				<del>_</del>	
gi 277	ATAGCCTTGAAGG					
- ,	1340	1350	1360	1370	1380	1390
	1120	1130	1140	1150	1160	1170
LEX	TGGCGCAAGACAA					
~:   277	######################################					
91   277	TGGCGCAAGACAA 1400	GTCAAAGCAC 1410	CAGIGITICA 1420	AACTAAGAAAC 1430	JAAGATGAGA 1440	1450
	1400	1410	1420	1430	1440	1450
	1180	1190	1200	1210	1220	1230
LEX	AGGCCCATCCCCT	CGGAAGAAAC				
	:::::::::::::::::::::::::::::::::::::::					
gi 277	AGGCCCATCCCCT	CGGAAGAAAC	ATCCACAGG	AATAAACATT <i>I</i>	ACAACGGTGG	CTATTCCA
	1460	1470	1480	1490	1500	1510
	1040	1050	1000	1070	1000	
LEX	1240 TTGGTGCTCCTTG	1250 ~~~~~	1260	1270	1280	1290
nin	::::::::::::					
gi 277	TTGGTGCTCCTTG					
- '	1520	1530	1540	1550	1560	1570
	1300	1310	1320	1330	1340	1350
LEX	AAGAAGAAGAAAG					
~i 277	AAGAAGAAGAAAG					
91   277	1580	1590	1600	1610	AAACAGACTC	1630
•	1300	1330	1000	1010	1020	1630
	1360	1370	1380	1390	1400	1410
LEX	CAGATTAAATATC	CCTTTGCCAG	ACATCAGTCA	GCTGAGTTTA		
	:::::::::::::::::::::::::::::::::::::::					
gi 277	CAGATTAAATATCO					
	1640	1650	1660	1670	1680	1690
	1420	1430	1440	1450	1460	
LEX	GAGAAGGAGATGAG					Δ
•						
gi 277	GAGAAGGAGATGAC	CACAAAAGTT	AGATCTCATC	ACAAGTGATA	TGGCAGGTTA	ACTCCGT
	1700	1710	1720	1730	1740	.1750
g1 2//	TGACTGCCAAAATA					
	1760	1770	1780	1790 ੀ	1800	1810
>>gi 27	735142 ref NM_	173674 11	Homo sani	ens discoi	din. C (2	010 n+1
rev-com	np initn: 57 i	nit1: 57	opt: 67		, - (2	010 110/
	% identity in			449:1780-1	823)	

```
490
                                        480
                                                   470
      520
               510
                        500
      {\tt ACTGATCCCTTTGCGCTGAAGCACACTGATCTGGCCACCTAGTTCATCAGCAATTATTCC}
LEX-
                                 gi|277 GTTGACTGCCAAAATAGCATCCCCAACGTGCAGCCCTCCGCATCTATCAGCAGGTTGCCC
                     1770
                              1780
   1750
            1760
                        440
               450
                                 430
                                          420
      TGCATGGATGGCAGCTTTGCACAATAAAGAGGTATCTCTATATCCATCTACCATATTCCC
LEX-
      : :::::: :::
gi|277 CGGATGGATCTCAGAGATGAGGATCGGAACACCATGTTCTTTCCCACCCTAACAACAACA
            1820 1830 1840
                                       1850
   1810
```

1464 residues in 1 query sequences 2010 resídues in 1 library sequences Scomplib [version 3.3t05 March 30, 2000] start: Mon Oct 6 13:26:41 2003 done: Mon Oct 6 13:26:41 2003 Scan time: 0.116 Display time: 0.100

Function used was FASTA